

## WPOHS COVID-19 Triage

WPOHS providers should perform hand hygiene using antibacterial hand sanitizer or washing with soap and water for at least 20 seconds before and after each patient contact. Use soap and water for at least 20 seconds if hands are visibly soiled.

### COVID-19 Triage

Exposure to a COVID-19 positive person within the last 14 days <b>OR</b> Travel to a region with sustained community transmission within the last 14 days** <b>OR</b> Close contact with someone who has travelled to a region with sustained community transmission within the last 14 days**	Fever (objective or $\geq 100$ degrees F)	Symptoms (cough, sore throat, runny nose, myalgias, diarrhea)	Action
No	No	None	No COVID-19 specific precautions required; proceed with clinic evaluation
No	No	Yes	Mask patient; proceed with clinic evaluation
No	Yes	No	No COVID-19 specific precautions required; proceed with clinic evaluation
No	Yes	Yes	Have patient call their PMD; do not proceed with clinic evaluation
Yes	No	No	No COVID-19 specific precautions required; proceed with clinic evaluation
Yes	No	Yes	Have patient call their PMD; do not proceed with clinic evaluation
Yes	Yes	No	Have patient call their PMD; do not proceed with clinic evaluation
Yes	Yes	Yes	Have patient call their PMD; do not proceed with clinic evaluation

\*\* Regions of sustained community transmission as of February 29, 2020: China, Iran, Italy, South Korea, Japan